## FERTILIZER SPREADER

FS150 / 300 / 500 / FP300 / 500





FERTILIZER SPREADER

FS150 / 300 / 500 / FP300 / 500

## Made with high quality materials.

All our fertilizer spreaders are made of high-quality materials. They are degreased, then painted with antitrust and finally coated with anticorrosive paint dried at 120° C. Also suitable for spreading rice, wheat, and many other cereals, as well as for salt and sand on icy roads.

Spreading direction adjustment lever.



Adjustable spinner fins on all our fertilizer spreaders, duly designed to give maximum spreading accuracy and uniformity.

2

3

All our fertilizer spreaders are made of high-quality materials. They are degreased, then painted with antirust and finally coated with anticorrosive paint dried at 120°C. Also suitable for spreading rice, wheat, and many other




cereals, as well as for salt and sand on icy roads.

## **OPTIONAL**

- Articulated agitator
- Single conveyor kit
- Deflector kit for salt and sand



Supplied on request. Suitable for spreading of powder fertilizers. Easy and rapid to fit.



Average output per hour: 3/6 Ha. Fertilizer spreading quantity: adjustable from 20 up to 3700 Kg/Ha. Working speed: 3/16 Km/h with P.T.O. at 540 RPM.

Specifications	FS150	FS300	FS500	FP300	FP500
Hopper capacity	38 Usa Gal.	66 Usa Gal.	89,5 Usa Gal.	66 Usa Gal.	89,5 Usa Gal.
	144 Litre	250 Litre	338 Litre	250 Litre	338 Litre
Maximum	352 Lbs	694 Lbs	992 Lbs	694 Lbs	992 Lbs
loading capacity	160 Kg	315 Kg	450 Kg	315 Kg	450 Kg
Width of spreading	5,5/16,4 yard	6,6/19,7 yard	6,6/19,7 yard	6,6/19,7 yard	6,6/19,7 yard
pattern dep	5/15 m	6/18 m	6/18 m	6/18 m	6/18 m
Overalheight	37 inch	42 inch	46 inch	42 inch	46 inch
	0,93 m	1,07 m	1,18 m	1,07 m	1,18 m
Hopper width	36 inch	43 inch	47 inch	43 inch	47 inch
	0,9 m	1,08 m	1,19 m	1,08 m	1,19 m

Designs, materials and/or specifications are subject to change without notice and without liability thereof.

## Your partner in farming



Viale Grecia, 22 - 06018 Trestina (PG) - ITALY | Phone: +39 075.854.00.21 | Email: sitrex@sitrex.it | www.sitrex.com